

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.cnix.nt-rt.ru | cxn@nt-rt.ru

Технические характеристики на диспенсеры для сока, для холодных напитков PL-115AJ, Multicolor-YX330, PL-345CJ, Multicolor-YX230, PL-230AJ компании **CNIX**



Brand Name : Juice Dispensers(Multicolor-YX330)

Product Model : YX330

dispenser's rotary system continuously circulates the product to ensure a fresh and consistent drink every time.

Product description

YX330 Juice Dispenser

blender: YX330

Main power:220V, 50Hz/60Hz

Rated output:610W

Refrigerant:R22/R134a

Production capacity:38 – 45kg/h

Refrigeration Temperature:5 – 15 C

Heating Temperature:Without

Hopper Capacity:3 x 17L

N.W.:42kg

Overall dimensions:679 x 416 x 780mm

Packing dimensions:790 x 550 x 900mm

Detailed introduction to juice dispensers

1.a clear transparent container to generate appetite appeal

2.stainless steel unbreakable handle, all parts in contact with beverages are made of alimentary (food grade) materials and removable by hands (without tools), easy to install and disassemble, all this save your time cost, ve profitability.

3.It is easy to clean and maintain, and retaining its new appeal to your customers. Every beverage dispenser is carefully designed and engineered to ensure optimum performance and more running time.

4.uniquely designed to adapt to your needs. This versatility means you can attract more customers with their favorite drinks.. Its stainless steel cylinder , and front panel provide extra long life as well as easy cleaning.

5.dispenser's rotary system continuously circulates the product to ensure a fresh and consistent drink every time.



Brand Name : Juice Dispensers(Multicolor-YX230)

Product Model : YX230

YX230 Detailed introduction to juice dispensers 1. a clear transparent container to generate appetite appeal
2. stainless steel unbreakable handle, all parts in contact with beverages are made of alimentary (food grade) materials and remova

Product description

Detailed introduction to juice dispensers

1. a clear transparent container to generate appetite appeal
2. stainless steel unbreakable handle, all parts in contact with beverages are made of alimentary (food grade) materials and removable by hands (without tools), easy to install and disassemble, all this save your time cost, ve profitability.
3. It is easy to clean and maintain, and retaining its new appeal to your customers. Every beverage dispenser is carefully designed and engineered to ensure optimum performance and more running time.
4. uniquely designed to adapt to your needs. This versatility means you can attract more customers with their favorite drinks.. Its stainless steel cylinder , and front panel provide extra long life as well as easy cleaning.
5. dispenser's rotary system continuously circulates the product to ensure a fresh and consistent drink every time.

Model: YX230

Power supply:220 v / 50 hz

Power:540 w

Refrigerant :R22 / everything

Production:25 to 30 kg/h

The refrigeration temperature: 5-15 °C

Heating temperature:no

Bucket capacity:2 x 17 l

Net weight:35 kg

Dimension:459 * 416 * 416 (mm)

Packing size:570 * 550 * 900 (mm)



Brand Name : Juice dispenser PL-345CJ

Product Model : PL-345LJ

Specifications The product with small volume light weight ,less consumption ,easy operation . Commodity Instruction 1.The product with small volume light weight ,Less consumption ,easy operation

Product description

The product with small volume light weight ,less consumption ,easy operation .

Commodity Instruction

- 1.The product with small volume light weight ,Less consumption ,easy operation
- 2.The beverage tank use food class PC transparent material ,safe and easy -cleaning .
- 3.Personal surface design ,stainless steel and colorful spraying steel plate body ,elegant appearance .
- 4.High -quality and totally -enclosed type compressor ,R134a refrigerant ,cooling faster and energy-saving ,pro-environment .
- 5.Freely adjust the temperature by temperature controlled switch whiling heating .
- 6.It have two design :spraying type and stirring type ,it can made many kind of beverage as your taste .
- 7.The products we supply with different kinds of voltage and frequency for you choose (such as 110v/60Hz,220V/60Hz)

Model PL-345LJ

Capacity 3*15L

Power supply 220V/50Hz

Input Power Spraying530W/stirring370W(Refrigeration)

Spraying1680W/stirring1520W(Heating)

Net Weight 41kg

External Dimensions 610*450*665mm

Remark Refrigeration and Heating dual purpose

The products of this series have several colours for your choice.yellow,green,purple.
we also supply this model for single refrigeration or Single heating.



Brand Name : Juice dispenser PL-115AJ

Product Model : PL-115CJ

Europe-leading refrigerating technologies , state-of-the-art design to ensure unsurpassed performance

Product description

Product description of cold juice dispenser

1. with Europe-American design , all stainless panel and durability
- 2.,fit for applications under various conditions.
2. Europe-leading refrigerating technologies , state-of-the-art design to ensure unsurpassed performance.
3. light weight., less consumption, easy operation
4. food class PC transparent material tank, safe and easy-cleaning;
5. High-quality and totally-enclosed type compressor,R134a refrigerant, cooling faster and energy-saving and pro-environment;
8. two design: spraying and stirring type, made most kind of beverages as your taste;
9. voltage and frequency for you choose(such as 110V/60Hz, 220V/60Hz)

Model PL-115CJ

Capacity:15L

Power supply:220V/50Hz

Input Power:Spraying200W/stirring150W(Refrigeration) /Spraying560W/
stirring510W(Heating) Net Weight:16kg

External Dimensions:210*450*665mm

Remark:Refrigeration and Heating dual purpose



Brand Name : Juice dispenser PL-230AJ

Product Model : PL-230AJ

Specifications Fruit juice dispenser 1.CE certification
2.Automatic control,Easy to operate 3.15years
manufacturer 4.2X15L Hot and cold fruit juice
dispenser/juice dispenser/cold beverage dispenser
Product description offruitjuice dispenser

Product description

Fruit juice dispenser

- 1.CE certification
- 2.Automatic control,Easy to operate
- 3.15years manufacturer
- 4.2X15L

Hot and cold fruit juice dispenser/juice dispenser/cold beverage dispenser Product description of fruit juice dispenser

1. with Europe-American design , all stainless panel and durability
2. fit for applications under various conditions.
2. Europe-leading refrigerating technologies , state-of-the-art design to ensure unsurpassed performance
3. light weight., less consumption, easy operation
4. food class PC transparent material tank, safe and easy-cleaning;
5. totally-enclosed type compressor,R134a refrigerant, cooling faster and energy-saving and pro-environment;
6. two design: spraying and stirring type, made most kind of beverages as your taste;
7. voltage and frequency for you choose(such as 110V/60Hz, 220V/60Hz)



Basic description

Model	PL-230AJ	PL-230CJ
Capacity	2X15L	2X15L
Power supply	220V/50Hz 110V/60Hz	220V/50Hz 110V/60Hz
Input power	Spraying 360W	Spraying 360W/Stirring 250W(cooling)
	Stirring 250W	Spraying 1120W/Stirring 1020W(heating)
Cold-beverage temperature	5 to 12 degree	5 to 12 degree
Hot-beverage temperature	—————	55 to 60 degree
Net weight	27kg	29kg
External dimensions	410X450X665mm	410X450X665mm
Remarks	Single cooling	cooling and heating dual purpose

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.cnix.nt-rt.ru | | cxn@nt-rt.ru